

🖶 🛨 🛂 f G 💆 digg 🛼 my

BookMark &

Share

Today is Wednesday March, 16th 2016



Google™ Custom Search Search

## **Oby Cap Information**

# About Oby Cap

Oby Cap is a weight loss drug that when combined with a reduced calorie diet, will help you lose weight by curbing or decreasing your appetite. Oby Cap (phendimetrazine) is a sympathomimetic amine, which is also known as an anorexigenic drug. Oby Cap is effective in increasing the heart rate

and blood pressure,

#### In This Article

- 1. About Oby Cap
- 2. Your Doctor Must Know
- 3. Administering
- 4. What if I Miss a Dose
- 5. Conflicting Medications
- 6. Side Effects
- 7. Less Common Side Effects
- 8 Precations
- 9. How to Store

Read Full Article

which decreases appetite. Note: Oby Cap is a short term supplement to a healthy diet and exercising.

#### **Your Prescribing Doctor Must Know**

Tell your physician if you have experienced any of these conditions for Cby Cap:

- Glaucoma
- Thyroid disease
- Taken other medicines that help you to lose weight in the past year
- · High blood pressure
- Diabetes
- Heart disease
- An unusual or abnormal reaction to phendimetrazine, other medicines, foods, dyes or preservatives
- Pregnant or trying to get pregnant
- Breastfeeding
- Glaucoma
- Thyroid disease
- High blood pressure
- Diabetes
- Taken other medicines to lose weight in the past year
- Heart disease
- An unusual or abnormal reaction to phendimetrazine, other medicines, foods, dyes or preservatives
- Pregnant or trying to get pregnant
- Breastfeeding

If you are pregnant, breast feeding or currently trying to become pregnant, make sure your doctor is aware of your maternal condition; as **Oby Cap** may not be recommended for certain situations.

#### **Administering Oby Cap**

It is important that you leave regular intervals between every dose of medication. Doing so will help the efficiency of this drug. Every prescription comes with instructions on the reverse side of each bottle or packaging. It is important that you follow the written instructions carefully as not all of them are identical.

Oby Cap capsules or tablets should be taken orally with a glass of water a minimum of one hour before eating. Remember, when taking Oby Cap or any prescription drug to always follow the label closely. Be sure to never take more than directed.

#### Home

Post Your Story or Question
Prescription Drug Forums

**Drug Listings A - Z** 

**Medical Articles** 

#### **Member Login**

Member Log In Member SignUp

#### **New Discussions**

Prednisolone

amitiza taken with viagra reaction

metronidazol

Levlen Ed Time Change

ingredients
left norco in car at 99 degrees

for 24 hours is it still good my medicare RX plan does not cover Folic

Acne clear up

expired antibiotic septra

needs correct prescription

I am on triphasil I skipped for 3 weeks then started again

am pregnant, should i use them?

One of the side effect of combivent is coughing which is my problem right now due to copd

My father in law had subdural hematoma

#### **Top Viewed Drugs**

Adipost

**Phentermine Capsules** 

Benzonatate Capsules

**Metronidazole Tablets** 

Celestamine F

Citicoline Aviane 28

Ciproflaxacin Tablets

**ECASA** 

Folbic

Metanx

**APO Ciproflox** 

**Glimepride Tablets** 

Nitrofurantoin

**Tessalon Perles** 



Back To The Top

**Oby Cap** should only be taken as instructed by a professional physician. Be sure to remember not to stop taking this medicine without consulting your physician first about how to stop safely. If you are researching this medication for your child, keep in mind that children often have special dosage instructions. Ask your physician about these differences prior to starting this medication if this is the case.

#### What if I Miss a Dose of Oby Cap

In the event that a dose of **Oby Cap** was missed, take one as soon as you can. But if your next scheduled dose is near, wait until that next dose is due and just skip the one you've already missed.

Caution: You should NEVER take double or extra doses of **Oby Cap**. Always ask your physician further about missed doses, as he may have special instructions.

#### **Conflicting Medications**

Always consult the doctor who prescribed Oby Cap to you; as this is only a partial interacting medicines list:

- Medicines for blood pressure
- Other medicines or herbal products for weight loss or to decrease appetite
- Medicines for mental depression
- Medicines for diabetes
- Linezolid
- · Medicines for diabetes
- Linezolid
- · Medicines for mental depression
- Medicines for blood pressure
- Other medicines or herbal products intended for weight loss or to decrease appetite

It is important that your physician knows if you are currently taking any medications along with **Oby Cap**; as there may be conflicting interaction. Let your physician know if you:

- Are a smoker
- Use any other legal or illegal drugs or substances
- . Consume alcohol or caffeine on a regular basis

All of the activities listed above could affect the results you see from taking Oby Cap.

#### **Oby Cap Common side effects**

The following are **side effects** known to be common of **Oby Cap** and they are experienced by users. These are common, **side effects** but if you feel uneasy or they persist do not hesitate to contact your physician.

- Nausea
- Diarrhea
- Fatigue
- Constipation
- Headache
- Blurred vision or other eye problems
- Dry mouth
- Sweating
- Difficulty sleeping
- A false sense of well being
- Dizziness
- Irritability
- Flushing
- Changes in sexual ability or desire
- Unpleasant taste
- Nervousness or restlessness
- Irritability
- Constipation
- Headache
- Sweating
- Diarrhea
- Nausea
- A false sense of well being
- Dry mouth
- Flushing
- Dizziness
- Blurred vision or other eye problems
- Unpleasant taste
- Fatigue
- Changes in sexual ability or desire
- Nervousness or restlessness
- Difficulty sleeping

None of the above listed **side effects** require immediate medical attention. If you continue to experience these Commonside **effects** for a few days, consult your prescribing physician for more advice. It is very important that you do not try to treat these symptoms on your own. Note: that elderly patients have a higher likelihood of experiencingside **effects**.

#### **Oby Cap Least Common side effects**

The following side effects are rare and should not be taken lightly. If you experience any of these less common side effects from

taking **Oby Cap** consult your healthcare professional immediately. The following are less common**side effects** associated with **Oby Cap**:

- Dry cough
- Increased blood pressure
- Vomiting
- Heart palpitations
- Chest pain
- Severe dizziness
- Problems urinating
- Breathlessness or exertion
- Depression or severe changes in mood
- Dry cough
- Vomiting
- · Chest pain
- Problems urinating
- Heart palpitations
- Severe dizziness
- Breathlessness or exertion
- Increased blood pressure
- Depression or severe changes in mood

It is important that you contact your physician right away if you've experienced any of the Less Commorside effects listed above.

#### **Oby Cap Precautions**

You should receive physical checkups on a regular basis; especially while taking prescription medicines. This is an easy way to monitor your progress and ensure your physical health as well. Your body may build up a dependency on **Oby Cap** and you may experience dizziness or drowsiness up to a few days after you stop taking this medication.

Patients are advised not to operate heavy machinery or automobiles until the full effect of Dby Cap is known. Do not consume alcohol while taking Oby Cap. Make sure your doctor is aware of upcoming surgeries you may have scheduled; or will be scheduling while taking this medication.

Contact your doctor for professional advice if you experience a cold, coughs or allergies. You should not try to treat yourself for such symptoms. Some ingredients found in other medications may have conflicting affects while taking **Oby Cap** and may affect desired results. **Oby Cap** cannot be given to any person without a prescription. Sharing**Oby Cap** is against the law.

#### **How To Store Oby Cap**

The following is general storage information for **Oby Cap**:

- It is important that you store **Oby Cap** at temperatures between 59 and 86 degrees Fahrenheit.
- Make sure **Oby Cap** is kept away from direct sunlight and moisture.
- Be sure to store **Oby Cap** out of reach of any pets or small children; in a small childproof container.
- Dispose of any expired or unused Oby Cap properly.

### **Related Drugs or Alternative Brand Names**

- Phentermine Capsules
- Phentermine Tablets
- Adipex P
- Adipex P
- Adipex P Tablets
- Adipex P Capsules
- Fastin
- <u>lonamin</u>
- Obenix
- Obephen
- Oby Cap
- Oby Trim
- Panshape M
- Phentercot
- Phentride

- Pro Fast HS
- Pro Fast SR
- <u>Teramine</u>
- Zantryl
- Pro Fast SA
- Adipost Tablets
- Anorex SR
- Anorex SR Tablets
- Appecon
- Appecon Tablets
- Bonril PDM
- Bonril PDM Tablets
- Bontril Slow Release
- Bontril Slow Release Tablets
- Melfiat
- Melfiat Tablets
- Obezine
- ObezineTablets
- Phendie
- Phendiet Tablet
- Plegin
- Plegine Tablet
- Prelu
- Prelu 2 Tablet
- Statobex
- Statobex Tablets

### Start a New Oby Cap Discussion

No registration is required People will be able to post replies back to you, sharing any information or common experiences. Your discussion will be added to the community for everyone to read and relate/respond.

Click here to <u>login</u> and Add a Personalized Discussion, Comment or Question.

Create a New Discussion or Question.	
41627 Submit Reset	

Conditions of USE: The prescription drug information on this database is to be used for instructional purposes only; it is not intended to substitute for the knowledge of a healthcare professional. Please consult a physician before and while you are taking Oby Cap. If you experience any other side effects while taking Oby Cap please consult an experienced professional. This database does not contain all the information regarding Oby Cap nor is it intended to cover all possible directions, side effects, and uses. If you need more information regarding Oby Cap, contact your physician or any other healthcare provider.

